


004T30" 60924960


| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG.1 Serum Phosphorus Level (mg/dl)



002780" 60924960

FIG.2 Serum Calcium Level (mg/dl)




| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

004780" 60924960


| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

FIG. 3 Femur Phosphorus Content at Necropsy (mg)*



*p<0.05 from saline-treated OVX


Fig. 4 Femur Initial Stiffness (N/mm)



* $p < 0.02$, # $p < 0.001$, ! $p < 0.01$ when compared to saline-treated OVX

004780" 60924960


Fig. 5 Maximum Load (N)



* $p < 0.02$, # $p < 0.003$, ! $p < 0.01$ when compared to saline-treated OVX

| | | |
|-----------|-----------|----------|
| APPROVED | O.G. FIG. | |
| BY | CLASS | SUBCLASS |
| DRAFTSMAN | | |

Fig. 6 Femur Energy at Maximum (Nmm)



#p<0.001, ¹p<0.01 when compared to saline-treated OVX